



Alteration of your rider seat

Black leather (for other colours, please ask)

Higher or lower sitting position (up to 25 mm higher or lower): _____

→ 25mm lower is not possible if you already have the low original seat

→ After lowering your seat there should be at least 30mm of foam left (sitting comfort)

Your problems (please encircle **Yes** / No):

You slide forwards (every time you brake). Yes / No

You have tailbone problems. Yes / No

You have pressure on your thighs. Yes / No

You want the front part of the seat to be thinner (standing more stable after stopping). Yes / No

You want the rear part of the seat to be wider. Yes / No

Is the original seat too soft? Yes / No

Is the original seat too hard? Yes / No

Driver's weight with helmet and clothes: _____ / Driver's height: _____

Alteration of your passenger seat

Black leather (for other colours, please ask)

Higher or lower sitting position (up to 25 mm higher or lower): _____

→ 25mm lower is not possible if you already have the low original seat

→ After lowering your seat there should be at least 30mm of foam left (sitting comfort)

Your problems (please encircle **Yes** / No):

You slide forwards (every time you brake). Yes / No

You have tailbone problems. Yes / No

You have pressure on your thighs. Yes / No

You want the front part of the seat to be thinner (standing more stable after stopping). Yes / No

You want the rear part of the seat to be wider. Yes / No

Is the original seat too soft? Yes / No

Is the original seat too hard? Yes / No

Passenger's weight with helmet and clothes: _____ / Passenger's height: _____

IMPORTANT INFORMATION:

The higher a seat should be, the harder the seat must be in order to avoid wrinkles. If a seat should be higher and soft at the same time, wrinkles in the leather are inevitable with time! Seats that were already altered before cannot always be altered again!